

Paul
7 Aug 87
F. mead, MD
Ed
1:29

S.2
SIX

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

D A¹ E I T I *Per*

A¹/5

fluctuate
wave

pulse

rhythmic

regular


rapid

directional

A¹/5 like polarized; out placed

per BK
beam
energy
weapon

A¹/5
DNA - induced
shape



target
structure

staggered
against
view

sequential
direction

S₁/₂ - method / cause of effects on target structure not apparent
for visual perception.

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

(3)

sz D A2 E2 T I AOL Als

direction


$\approx 1/2$ direction from which cause of effect comes is side, slight
up angle, almost parallel to general horizon

Some of
"wiggles"
to course
the curve
follows.

AOL Bk
like
lighter
bold in
sky

$\approx 1/2$ AOL/s like 2 components - designators,
and "causes"

AOL Bk
like
laser designator
+ smart missile



S V I

4

D
A
IE
I

T

T

ANL

pls

Object

Smooth

+ rounded

Shiny

metals

5-1/2 "Fang shaped," various different stages, protrusions,
wedges, sub structures, supp. on "legs"/"outrisers"
 Landing gear "like" springs loaded or "bounces".
 Little internal erupts small.

wires
cables

circuits

electronic
partsguides
mechanismsproject by
controllingIFF
circuits

5-1/2 system operates so rapidly, specially designed
IFF necessary to prevent accidental destruction
of friendly/neutral target.

SVI

5

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

52

D

A2

F1

ASL

AB

54_{1/2} part of object capable + necessary of distinction
+ delineation etc.

program generates

→ single

inside

protected
controlling

54_{1/2} "goes with" system/object..

Do L Bk
Belly gunne
RA B-25

hydrostatic
part
rose
coupling
fluid
pressure

54_{1/2} rapid direction changes

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

SVI

6

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-002

Als

S2

D

HJ

EI

self-contained

SVI₂ but often prolonged use requires replacement
Several of mobility's capabilities.

renewable

fluid
solids

for BIC
like fuel
cell

"fading"

substance

sublimation

solid-to-vapor

volatile

hermetic

SVI₂ unit-for-unit replacement; connecting, disconnecting
switching; recharging spent unit (very involved process)

Steer

elevation

sound

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

S2

D

A2

E1

S1

T

I

roaring
noise

instantaneous

bursting
flashinglike
welding
or
sparklerVery
sharpKris
SmellCharring
fusing
burning

Spalling

S-1/2 can't see; but is famous feel w/ substance to it.

S-1/2 not always dependable; design "bugs". Mixed blessings.
 sometime fails to function embarrassingly. Usually
 Sub-system weakness. To complex that optimus
 performance is not always good. Designers
 are working to correct shortcomings. But problematic

92.

Approved For Release 2000/08/08 : CIA-RDP96-00789R002000380002-7

21

JUL 15

because of certain physical principle in susceptibility.

red

blue

yellow

point
circle



star

Mar Blk
Script
Flag


Olongist
red

yellow

black

fringe
border

gold



rounded, angled, shiny object (varnished with varnish,
~~wire~~ wires, electrical connections, subsystems +
assemblies, and one person; it is supported on
legs/outriggers/and by ~~gear~~ gear that is damped/
shock absorber equipped. Object has some degree
of mobility potential. Seems also to be a
major component of a R&D weapons system
with unusual characteristics capable of engaging
targets at unusual distances. System
may possibly be director/targeted/aimed by a
secondary "designator" system locator
separately from main operative component.

1413